


**Amendment to the Claims:**

This listing will replace all prior versions, and listings, of the claims in the application:

**Listing of Claims:**

Claim 1 (Currently amended): A metal- or ~~resin-integrated~~ resin-laminated gasket, which comprises a cured product layer of a composition comprising:

(A) an acrylic polymer having at least one alkenyl group capable of undergoing hydrosilylation ~~reaction;~~ reaction obtained by copolymerization of an acrylic acid ester monomer and a compound as a second monomer represented by the general formula:



wherein R<sup>1</sup> is a hydrogen atom or a methyl group and R<sup>4</sup> is an organic group of

C<sub>1</sub>-C<sub>20</sub>, which may have at least one ether bond;

(B) a hydrosilyl group-containing compound; and

(C) a hydrosilylation catalyst as essential components, and a metal plate or resin plate, the cured product layer being provided on at least one surface of the metal plate or the resin plate.

Claim 2 (Currently amended): A metal- or ~~resin-integrated~~ resin-laminated gasket according to claim 1, wherein the component (A) of the composition is a liquid acrylic polymer having a number average molecular weight Mn of 500 or more and a molecular weight distribution (Mw/Mn) of 1.8 or less.

Claim 3 (Currently amended): A metal- or ~~resin-integrated~~ resin-laminated gasket according to claim 1, wherein the cured product layer has a film thickness of 1-500  $\mu\text{m}$ .

Claim 4 (Currently amended): A metal- or ~~resin-integrated~~ resin-laminated according to claim 1, wherein the cured product layer has a surface hardness (Duro hardness A) of 45 or less.

Claim 5 (Currently amended): A metal- or ~~resin-integrated~~ resin-laminated gasket according to claim 1, wherein the composition is directly applied to an adhesive-coated metal plate or resin plate and cured.

Claim 6 (Currently amended): A metal- or ~~resin-integrated~~ resin-laminated gasket according to claim 1, which comprises at least one of an automobile engine cylinder head gasket, an engine oil pan gasket and an engine intake-exhaust manifold gasket.

Claim 7 (Currently amended): A metal- or ~~resin-integrated~~ resin-laminated gasket according to claim 1, wherein the cured product is provided on a resin plate that has a softening point of 100°C or more.

Claim 8 (Currently amended): A metal- or ~~resin-integrated~~ resin-laminated gasket according to claim 2, which comprises at least one of an automobile engine cylinder head gasket, an engine oil pan gasket and an engine intake-exhaust manifold gasket.

Claim 9 (Currently amended): A metal- or ~~resin-integrated~~ resin-laminated gasket according to claim 3, which comprises at least one of an automobile engine cylinder head gasket, an engine oil pan gasket and an engine intake-exhaust manifold gasket.

Claim 10 (Currently amended): A metal- or ~~resin-integrated~~ resin-laminated gasket according to claim 4, which comprises at least one of an automobile engine cylinder head gasket, an engine oil pan gasket and an engine intake-exhaust manifold gasket.

Claim 11 (Currently amended): A metal- or ~~resin-integrated~~ resin-laminated gasket according to claim 2, wherein the cured product is provided on a resin plate that has a softening point of 100°C or more.

Claim 12 (Currently amended): A metal- or ~~resin-integrated~~ resin-laminated gasket according to claim 3, wherein the cured product is provided on a resin plate that has a softening point of 100°C or more.

Claim 13 (Currently amended): A metal- or ~~resin-integrated~~ resin-laminated gasket according to claim 4, wherein the cured product is provided on a resin plate that has a softening point of 100°C or more.

Claim 14 (New): A metal- or resin-laminated gasket according to claim 1, wherein the second

monomer is one of 1,5-hexadiene, 1,7-octadiene and 1,9-decadiene.

Claim 15 (New): A metal- or resin-laminated gasket according to claim 1, wherein the second monomer reacts at a final stage of the polymerization react or after completion of the reaction of the acrylic acid ester monomer in the synthesis of acrylic polymers by living radical polymerization.